

National Waterway – 1

1. Varanasi MMT

- a. **Type of Jetty:** Fixed RCC Jetty, 200m*35m
- b. **Usage:** All types of Cargo & Passenger vessels
- c. **Managed by:** IWAI, Process for O&M of the terminal by a private operator is in progress
- d. **Commodities:** Cement, Heavy Industries, Agriculture and horticulture products, Containers, ODC etc.
- e. **LAD Range:** Varanasi to Saidpur stretch (64 km), 0.8m to 2.2m
- f. **Facilities:**
 - i. Open Storage is available, Covered storage space is proposed in 2nd Phase.
 - ii. Weighbridge proposed in 2nd phase.
 - iii. Dedicated Truck Parking space proposed in 2nd phase.
- g. **Equipment:** Two Mobile Harbour Cranes of rated capacity 50 MT each, suitable for handling both bulk and container cargo
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Paved road (dimension: 700m*7.5m)
- j. **Distance from the nearest National/ State highway:** NH-02 (< 2 km), NH-07 (0.7 km)
- k. **Customs notification status:** Not notified



2. Assi Ghat, Varanasi

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** Varanasi to Saidpur stretch (64 km), 0.8m to 2.2m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



3. Rajghat, Varanasi

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** Varanasi to Saidpur stretch (64 km), 0.8m to 2.2m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



4. Gaighat, Patna

- a. **Type of Jetty:** Fixed RCC Jetties, 2 nos, High Level Jetty - (70m*20m), Low Level Jetty - (46.6 m*15m)
- b. **Usage:** All types of Cargo & Passenger vessels including Ro-Ro service
- c. **Managed by:** IWAI, Process for O&M of the terminal by a private operator is in progress
- d. **LAD Range:**
 - i. Patna to Mehnar D/S stretch (31 km), 1.4m to 2.5m
 - ii. Patna to Doriganj U/S stretch (45 km), 1.2m to 2.5m
- e. **Commodities:** Fly Ash, Cement, Stone Aggregates, Containers, Agriculture & Horticulture Products, ODC etc.
- f. **Storage facility:** Transit shed (45m*25m)
- g. **Equipment:** One rubber tyre mobile crane of capacity 70 MT and Two 20 MT rubber tyre mobile crane, suitable for handling both bulk and container cargo
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Paved road (dimension: 334 m*7m)
- j. **Distance from the nearest National/ State highway:** NH-19 (< 1 km), NH-31 & 82 (<5 km)
- k. **Customs notification status:** Not notified



5. Munger

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD Range:**
 - i. Munger to Sultanganj D/S stretch (47 km), 2m to 3m
 - ii. Munger to Mahendrapur U/S stretch (27 km), 1.6m to 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



6. Bhagalpur

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD range:**
 - i. Bhagalpur to Kahalgaon D/S stretch (25 km), 2.1m to 3m
 - ii. Bhagalpur to Sultanganj U/S stretch (31 km), 1.8m to 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



7. Bateshwarsthan, Bihar

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD Range:** Karagola to Kahalgaon stretch (30 km), 2.1m to 3m
- e. **Labour & Manpower:** Security available
- f. **Nearest Town:** Bhagalpur, Sahibganj, Banka, Godda
- g. **Customs notification status:** Not notified



8. Samdaghat, Sahibganj

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels including Ro-Ro service
- c. **Managed by:** IWA
- d. **LAD Range:** Rajmahal to Manihari stretch (50 km), 2.5m to 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



9. Sahibganj

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWA
- d. **LAD Range:** Rajmahal to Manihari stretch (50 km), 2.5m to 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



10. Sahibganj MMT

- a. **Type of Jetty:** Fixed RCC Jetty, 270m*25m
- b. **Usage:** All types of Cargo & Passenger vessels
- c. **Managed by:** IWAI, Process for O&M of the terminal by a private operator is in progress
- d. **LAD Range:** Rajmahal to Manihari stretch (50 km), 2.5m to 3m
- e. **Commodities:** Stone aggregates, Coal, Fly Ash, Silica, Sand etc.
- f. **Facilities:**
 - i. Storage shed (132 m X 30 m), Open storage space: 50,000 sqm
 - ii. Weighbridge available (2 nos.): 60 tonne capacity each
 - iii. Dedicated Truck Parking space available (10,000 sq. m.)
- g. **Equipment:**
 - i. One Mobile Harbour crane with 50 MT rated capacity, suitable for handling both bulk and container cargo
 - ii. Front end loaders, 8 Nos.
 - iii. Conveyor system with fixed hopper (capacity 1,200 TPH)
 - iv. Barge Loader (capacity 1,200 TPH)
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Paved road (dimension: 1,095m*20m)
- j. **Distance from the nearest National/ State highway:** NH-33 (< 2 km)
- k. **Customs notification status:** Not notified



11. Rajmahal, Jharkhand

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels including Ro-Ro Services
- c. **Managed by:** IWAI
- d. **LAD Range:**
 - i. Rajmahal to Manihari U/S stretch (50 km), 2.5m to 3m
 - ii. Rajmahal to D/S Farakka Lock Gate stretch (39 km), 2.8m to 3m
- e. **Labour & Manpower:** Security available
- f. **Nearest Town:** Sahibganj, Farakka, Malda, Pakur
- g. **Customs notification status:** Not notified



12. U/S Terminal Ghat, Farakka

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Bulk cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** Rajmahal to D/S Farakka Lock Gate stretch (39 km), 2.8m to 3m
- e. **Commodities:** Stone Aggregates, Silica, Sand, Coal
- f. **Facilities:** Pilot shelter
- g. **Equipment:** Submersible pump for vessels
- h. **Labour & Manpower:** Security available
- i. **Customs notification status:** Notified



13. D/S Terminal Ghat, Farakka

- a. **Type of Jetty:** Fixed RCC Jetty
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWA
- d. **LAD Range:**
 - i. Rajmahal to D/S Farakka Lock Gate D/S stretch (39 km), 2.8m to 3m
 - ii. Farakka JTF Jetty to D/S Farakka Lock Gate U/S stretch (3 km), 1.5m to 3m
- e. **Commodities:** Stone Aggregates, Silica, Sand, Coal
- f. **Equipment:** Submersible pump for vessels
- g. **Labour & Manpower:** Security available
- h. **Customs notification status:** Notified



14. Hazarduari Ghat, Berhampore

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD Range:**
 - i. Berhampore to Chowrigacha D/S stretch (21 km), 3m
 - ii. Berhampore to Mohammadpur U/S stretch (28 km), 2.7m to 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



15. Matiari, West Bengal

- a. **Type of Jetty:** Floating pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD Range:** Patuli to Katwa stretch (23 km), 2.7m to 3m
- e. **Labour & Manpower:** Security available
- f. **Nearest Town:** Katwa
- g. **Customs notification status:** Not notified



16. Kalna, West Bengal

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD Range:**
 - i. Kalna to Balagarh D/S stretch (23 km), 3m
 - ii. Kalna to Samudragarh U/S stretch (18 km), 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



17. Shantipur

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD Range:** Kalna to Balagarh D/S stretch (23 km), 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



18. BTPS, Tribeni

- a. **Type of Jetty:** RCC Jetty
- b. **Usage:** Bulk Cargo & Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD range:**
 - i. Tribeni to Balagarh U/S stretch (28 km), 3m
 - ii. Tribeni to Sagar D/S stretch (193 km), 3m
- e. **Equipment:** Two nos. Diesel Compressor
- f. **Labour & Manpower:** Security available
- g. **Customs notification status:** Notified



19. Botanical Garden, Kolkata

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels & Logistics support
- c. **Managed by:** IWAI
- d. **LAD Range:** 3m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



20. BISN/GR Jetty 1, Kolkata

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Bulk Cargo vessels incl. Ro-Ro service
- c. **Managed by:** M/s SAPL
- d. **LAD Range:** 3m
- e. **Commodities:** Fly Ash, Coal
- f. **Equipment:** One Diesel Compressor
- g. **Labour & Manpower:** 24*7 Security available
- h. **Customs notification status:** Notified



21. GR Jetty 2, Kolkata

- a. **Type of Jetty:** Fixed RCC Jetty, 70m*20m
- b. **Usage:** All types of Cargo vessels
- c. **Managed by:** M/s SAPL
- d. **LAD Range:** 3m
- e. **Commodities:** Fly Ash, Coal, Cement, Steel materials, Stone aggregates, Food grains, Containers, etc.
- f. **Facilities:**
 - i. Covered storage space, 1,186 sqm
 - ii. Dedicated Truck Parking space available
- g. **Equipment:**
 - i. 1 no. Crane 45-120-ton capacity,
 - ii. 2 nos. Electric Compressor,
 - iii. Submersible Pump
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Paved road
- j. **Distance from the nearest National/ State highway:** NH-117 (< 5 km)
- k. **Customs notification status:** Notified



22. Haldia Old Fly Ash Jetty (Jetty-1)

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Bulk Cargo vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 3m
- e. **Commodities:** Fly Ash
- f. **Storage facility:** A Transit Shed Facility (100m X 30m)
- g. **Labour & Manpower:** Security available
- h. **Customs notification status:** Notified



23. Haldia Old Terminal (Jetty-2)

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Bulk Cargo vessels
- c. **Managed by:** IWA
- d. **LAD Range:** 3m
- e. **Commodities:** Fly Ash
- f. **Labour & Manpower:** Security available
- g. **Customs notification status:** Notified



24. Haldia Old Terminal (Jetty-3)

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Bulk Cargo vessels
- c. **Managed by:** IWA
- d. **LAD Range:** 3m
- e. **Commodities:** Fly Ash
- f. **Labour & Manpower:** Security available
- g. **Customs notification status:** Notified



National Waterway – 2

25. Dhubri

- a. **Type of Jetty:** Fixed RCC jetty, 186m*15.6m
- b. **Usage:** Bulk Cargo and Passenger vessels including Ro-Ro service
- c. **Managed by:** IWAI, Process for O&M of the terminal by a private operator is in progress
- d. **LAD Range:**
 - i. Bangladesh Border to Dhubri U/S stretch (32 km), 2.3m to 2.5m
 - ii. Dhubri to Tulsibari U/S stretch (30 km), 2.3m to 2.5m
- e. **Commodities:** Coal, Cement, Stone Aggregates, Food grains, Tea, Jute etc.
- f. **Facilities:**
 - i. 2 nos. Transit Sheds (25 m x15 m each),
 - ii. Open storage area: 553.90 sq. m.
 - iii. Weighbridge available, one 60 MT capacity
 - iv. Dedicated truck parking space available
- g. **Equipment:**
 - i. One Shore crane - 20 MT rated capacity
 - ii. Crane not suitable to handle container cargo
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Paved road
- j. **Distance from the nearest National/ State highway:** NH-17 (< 2 km)
- k. **Customs notification status:** Notified



26. Jogighopa

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:**
 - i. Chandradinga to Jogighopa U/S stretch (24 km), 2.3m to 2.5m
 - ii. Jogighopa to Bagbor U/S stretch (37 km), 2.4m to 2.5m
- e. **Commodities:** Stone Aggregates, Coal, Cement, Food Grains, Bamboo
- f. **Storage facility:** Ample open storage space
- g. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour and equipment can be arranged by the operator.
- h. **Access road/ rail connectivity:** Paved road
- i. **Distance from the nearest National/ State highway:** NH-17 (< 2 km)
- j. **Customs notification status:** Notified



27. Pandu

- a. **Type of Jetty:** Fixed RCC Jetties, 2 nos, High Level Jetty - (50m*20m), Low Level Jetty - (50m*20m)
- b. **Usage:** All types of Bulk Cargo and Passenger vessels including Ro-Ro service
- c. **Managed by:** IWAI, Process for O&M of the terminal by a private operator is in progress
- d. **LAD Range:**
 - i. Vijaynagar to Pandu U/S stretch (22 km), 2.5m
 - ii. Pandu to Ganesh Pahar U/S stretch (38 km), 2m to 2.5m
- e. **Commodities:** Coal, Cement, Stone Aggregates, Food grains, Tea, POL, Jute, Fertilizer, Salt etc.
- f. **Facilities:**
 - i. 2 nos. Transit Sheds (75 m x 21 m each),
 - ii. Open storage area: 8,273 sq. m.
 - iii. Weighbridge available, 1 no., 100 MT capacity
 - iv. Dedicated truck parking space available
- g. **Equipment:**
 - i. Hydraulic shore crane (01 nos.) – 75 ton rated capacity
 - ii. Hydraulic shore crane (01 nos.) – 20 ton rated capacity
 - iii. Both cranes are only suitable for handling bulk cargo
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:**
 - i. Paved road
 - ii. Broad Gauge (BG) siding
- j. **Distance from the nearest National/ State highway:** NH-27 (old NH-31) (< 3 km)
- k. **Customs notification status:** Notified



28. Silghat

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWA
- d. **LAD Range:** Tezpur to Biswanath stretch (47 km), 2.3m to 2.5m
- e. **Commodities:** Tea, Food Grains, Cement, POL, Chemicals, Timber
- f. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour and equipment can be arranged by the operator.
- g. **Access road/ rail connectivity:** Paved road
- h. **Distance from the nearest National/ State highway:** NH-715 (16 km)
- i. **Customs notification status:** Notified



29. Biswanathghat

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels & Logistics Support
- c. **Managed by:** IWAI
- d. **LAD Range:**
 - i. Tezpur to Biswanath U/S stretch (47 km), 2.3m to 2.5m
 - ii. Biswanath to Bargang River (U/S) stretch (22 km), 2.1m to 2.5m
- e. **Labour & Manpower:** Security available
- f. **Customs notification status:** Not notified



30. Neamati

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Bulk Cargo & Passenger vessels
- c. **Managed by:** IWA
- d. **LAD Range:**
 - i. Pahumara to Neamati U/S stretch (22 km), 2.3m to 2.5m
 - ii. Neamati to Teliadanga U/S stretch (31 km), 2.2m to 2.5m
- e. **Commodities:** Tea, Cement, Food Grains
- f. **Labour & Manpower:** Security available
- g. **Nearest town:** Jorhat
- h. **Customs notification status:** Not notified



31. Bogibeel

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels & Logistics Support
- c. **Managed by:** IWAI
- d. **LAD Range:** Kathalguri to Dibrugarh stretch (32 km), 2m
- e. **Labour & Manpower:** Security available
- f. **Nearest town:** Dibrugarh
- g. **Customs notification status:** Not notified



32. Oriamghat

- a. **Type of Jetty:** Floating Pontoon
- b. **Usage:** Passenger vessels & Logistics Support
- c. **Managed by:** IWAI
- d. **LAD Range:** Bahir Jonai to Oriamghat stretch (13 km), 1.2m to 1.5m
- e. **Labour & Manpower:** Security available
- f. **Nearest town:** Sadia, Tinsukia
- g. **Customs notification status:** Not notified



National Waterway – 16

33. Karimganj

- a. **Type of Jetty:** Fixed RCC jetty (136m*14.5m)
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 1.1m to 2m
- e. **Storage facility:** Covered storage (85 m x 23 m), Open storage area of 990 sq. m
(Depleted conditions)
- f. **Equipment:** No equipment. (Terminal is under consideration for refurbishment)
- g. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- h. **Access road/ rail connectivity:** Paved road
- i. **Distance from the nearest National/ State highway:** NH-37 (< 1 km)
- j. **Customs notification status:** Notified



34. Badarpur

- a. **Type of Jetty:** Fixed RCC jetty (91m*37m)
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 1.1m to 2m
- e. **Storage facility:** Covered storage (29.84 m x 16.07 m), Open storage area. (825 sqm)
- f. **Equipment:** No equipment. (Terminal is under consideration for refurbishment)
- g. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- h. **Access road/ rail connectivity:** Unpaved road
- i. **Distance from the nearest National/ State highway:** NH-37 (< 1 km)
- j. **Customs notification status:** Notified



National Waterway – 3

35. Aluva

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWA
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Fertilizers, Chemicals, Minerals, Zinc
- f. **Storage facility:**
 - i. Covered storage - 300 sqm
 - ii. Open Storage 4000 sqm
- g. **Equipment:**
 - i. One mobile hydraulic crane of capacity 18 MT, suitable to handle container cargo
 - ii. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Bituminous road
- j. **Distance from the nearest National/ State highway:** Old NH-17 (600m)
- k. **Nearest town:** Kochi, Ernakulam, Kakkanad
- l. **Customs notification status:** Not Notified



36. CSEZ (Kakkanad)

- a. **Type of Jetty:** Temporary berthing jetty
- b. **Managed by:** IWAI
- c. **LAD Range:** 1m to 2m
- d. **Commodities:** Fertilizers, POL
- e. **Storage facility:** Nil
- f. **Equipment:** Nil
- g. **Labour & Manpower:** Security available. For manual handling of cargo, labour can be arranged by the operator.

37. Maradu

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Fertilizers, POL
- f. **Storage facility:**
 - i. Covered storage - 300 sqm
 - ii. Open Storage 2000 sqm
- g. **Equipment:**
 - i. 2 nos. mobile hydraulic crane of capacity 18 MT, suitable to handle container cargo
 - ii. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Paved road
- j. **Distance from the nearest National/ State highway:** NH-66 (400m)
- k. **Nearest town:** Kochi, Ernakulam
- l. **Customs notification status:** Not Notified



38. Vaikkom

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Coir
- f. **Storage facility:**
 - i. Covered storage - 300 sqm
 - ii. Open Storage 800 sqm
- g. **Equipment:**
 - i. One mobile hydraulic crane of capacity 18 MT, suitable to handle container cargo
 - ii. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Bituminous road
- j. **Distance from the nearest National/ State highway:** SH-15 (1.8 km)
- k. **Nearest town:** Cherthala
- l. **Customs notification status:** Not Notified



39. Thannermukkom

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWA
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Coir
- f. **Storage facility:**
 - i. Covered storage - 300 sqm
 - ii. Open Storage 2000 sqm
- g. **Equipment:**
 - i. One mobile hydraulic crane of capacity 18 MT, suitable to handle container cargo
 - ii. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Bituminous road
- j. **Distance from the nearest National/ State highway:** SH-40 (200m)
- k. **Nearest town:** Cherthala
- l. **Customs notification status:** Not Notified



40. Alappuzha

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Coir, Rubber
- f. **Storage facility:**
 - i. Covered storage - 300 sqm,
 - ii. Open Storage 2000 sqm
- g. **Equipment:**
 - i. One mobile hydraulic crane of capacity 18 MT, suitable to handle container cargo
 - ii. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Bituminous road
- j. **Distance from the nearest National/ State highway:** NH-66 (3 km)
- k. **Customs notification status:** Notified

41. Thrikunnappuzha

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Coir
- f. **Storage facility:**
 - i. Covered storage - 300 sqm
 - ii. Open Storage 800 sqm
- g. **Equipment:**
 - i. One mobile hydraulic crane of capacity 18 MT, suitable to handle container cargo
 - ii. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Bituminous road
- j. **Distance from the nearest National/ State highway:** NH-66 (5.80 km)
- k. **Nearest town:** Haripad
- l. **Customs notification status:** Not Notified



42. Kayamkulam

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWA
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Minerals
- f. **Storage facility:**
 - i. Covered storage - 300 sqm
 - ii. Open Storage 2000 sqm
- g. **Equipment:**
 - i. One mobile hydraulic crane of capacity 18 MT, suitable to handle container cargo
 - ii. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Bituminous road
- j. **Distance from the nearest National/ State highway:** NH-66 (6.5km)
- k. **Customs notification status:** Not Notified



43. Kollam

- a. **Type of Jetty:** Fixed RCC jetty, 30m*7m
- b. **Usage:** Bulk Cargo and Passenger vessels
- c. **Managed by:** IWAI
- d. **LAD Range:** 1m to 2m
- e. **Commodities:** Minerals
- f. **Storage facility:**
 - i. Covered storage - 300 sqm
 - ii. Open Storage 2000 sqm
- g. **Equipment:**
 - i. One forklift of capacity 3 MT
- h. **Labour & Manpower:** 24*7 Security available. For manual handling of cargo, labour can be arranged by the operator.
- i. **Access road/ rail connectivity:** Bituminous road
- j. **Distance from the nearest National/ State highway:** NH-66 (2 km)
- k. **Customs notification status:** Not Notified



44. Chavara

- a. **Type of Jetty:** Land only
- b. **Managed by:** IWAI
- c. **LAD Range:** 1m to 2m

45. Bolgatty Island

- a. **Type of Jetty:** Ro-Ro/Lo-Lo Landing Point (50m*17m)
- b. **Usage:** Ro-Ro Service
- c. **Managed by:** IWAI
- d. **LAD Range:** 1m to 2m
- e. **Facilities:** Dedicated truck parking space
- f. **Access road/ rail connectivity:** Bituminous road
- g. **Distance from the nearest National/ State highway:** Container Road, Ernakulam (200 m)
- h. **Customs notification status:** Not Notified

46. Willingdon Island

- a. **Type of Jetty:** Ro-Ro/Lo-Lo Landing Point (50m*12m)
- b. **Usage:** Ro-Ro Service
- c. **Managed by:** IWAI
- d. **LAD Range:** 1m to 2m
- e. **Access road/ rail connectivity:** Bituminous road
- f. **Distance from the nearest National/ State highway:** Old NH-47 (4 km)
- g. **Customs notification status:** Not Notified

