



Hkkj rh; vUrn kh; tyekxZ i kf/kdj . k

INLAND WATERWAYS AUTHORITY OF INDIA

(पोत परिवहन मंत्रालय, भारत सरकार)

(M/O. Shipping, Govt. of India)

Office cum IWT Terminal, Gaighat, Patna – 800 007

Ph. No. 0612-2630100, 2630114, 2630005, 2630012 * Fax No. 0612-2630012 E-mail: iwaiptn@rediffmail.com

NOTICE INVITING QUOTATION

No.12/IWAI/Engg/ P(02)/10-11

Dated 03-01-2013

Sub: Quotation for Supply of Imported spare parts of CSD Yamuna -reg.

Sir,

Authority intending to procure following imported materials as per specifications given below:-

Spare parts required :

| Sl. No | Description | Qty. | Rate | Amount (incl.Taxes+fr eight & packaging) |
|--------|---|--------|------|---|
| 1 | Cutter Pressure Transmitter "KMK". Type PT 020- 6-250/1-5, Range 0-250 bar, output 20 mA, supply 24V DC,Adapter-1/4 BSP/, Equivalent (With accessories) | 01 no | | |
| 2 | Foreside winch Pressure Transmitter "KMK". Type PT 020- 6-250/1-5 ,Range 0-250 bar, output 20 mA, supply 24V DC,Adapter-1/4 BSP/ , /Equivalent (With accessories) | 01 no | | |
| 3 | Spuds/Ladder winch/spud carrier/ discharge Pressure Transmitter "KMK". Type PT 020-6-250/1-5, Range 0-250 bar, output 20 mA, supply 24V DC,Adapter-1/4 BSP/ Equivalent (With accessories) | 01 no | | |
| 4 | Bottom side spud carrier cylinder pressure transmitter "KMK" Type PT 020-6-100/15, range 0-100 bar, output 20mA, supply- 24 V DC,Adaptr- 1/4BSP/ Equivalent(with accessories) | 01no | | |
| 5 | Analogue pressure indicator, 96MM Squire, FSD-0-20mA,24 V DC, Scale 100 bar/250 Bar | 04 nos | | |

मुख्य कार्यालय :ए-13, सेक्टर -1, नोयडा, जिला-गौतम बुद्ध नगर (उ० प्र०)

HEAD OFFICE: A-13,SECTOR-1,NOIDA,Dt. Gautam Budh Nagar (U.P.) : 201301



Hkkj rh; vUrn kh; tyekxZ i kf/kdj . k

INLAND WATERWAYS AUTHORITY OF INDIA

(पोत परिवहन मंत्रालय, भारत सरकार)

(M/O. Shipping, Govt. of India)

Office cum IWT Terminal, Gaighat, Patna – 800 007

Ph. No. 0612-2630100, 2630114, 2630005, 2630012 * Fax No. 0612-2630012 E-mail: iwaipn@rediffmail.com

| | | | | |
|----|---|--------|--|--|
| 6 | Pressure guage analog- GF 250 Bar, 1/4BSP adapter, 63mm dia/BC, WIKA-Germany, with accessories | 06 nos | | |
| 7 | Pressure guage analog- GF 100 Bar, 1/4BSP adapter, 63mm dia/BC, WIKA-Germany, with accessories | 02 nos | | |
| 8 | Pilot valve controller-Amplifier “ Rexroth” VT 3000-S3x-R5. PCB | 02 nos | | |
| 9 | Spud carrier transmitter – T 71000/ equivalent | 01 no | | |
| 10 | R/I converter amplifier PCB-MPA-1914 (for spud carrier position/ cutter depth indicator) | 02 nos | | |
| 11 | Spud carrier position indicator(spec. 96mm square, FSD-1 mA, AE) | 01 no | | |
| 12 | 400 Hz oscillator PCB, Make Alpha | 01 no | | |
| 13 | Mixture density amplifier PCB-LB 3846(linearization) FNR- 1116 | 01 no | | |
| 14 | Mixture density amplifier PCB-LB 3836(IHV/Π control) FNR- 1116 | 01 no | | |
| 15 | Vacuum Transmitter T 50000, Rose mount transmitter- pressure -1151 DP 6E 22 L 4 -1...0...+1 bar -----Equivalent | 01 no | | |
| 16 | Vacuum Transmitter T 50000, Rose mount transmitter- pressure -1151 DP 6E 22 L 4 , 0...6 bar -----Equivalent | 01 no | | |
| 17 | Plug-in connector with light & diode- Rexroth/ equivalent for solenoid valve | 20 nos | | |
| 18 | Differential pressure switch Danfoss/ Indfos- range-40 bar 1/4 – BSP with accessories | 02 nos | | |
| 19 | Power contactor Type-220 Vac/3 CO/Aux 1NO- 1NC | 02 nos | | |

मुख्य कार्यालय :ए-13, सेक्टर -1, नोयडा, जिला-गौतम बुद्ध नगर (उ० प्र०)

HEAD OFFICE: A-13,SECTOR-1,NOIDA,Dt. Gautam Budh Nagar (U.P..) : 201301



Hkkj rh; vUrn kh; tyekxZ i kf/kdj . k

INLAND WATERWAYS AUTHORITY OF INDIA

(पोत परिवहन मंत्रालय, भारत सरकार)

(M/O. Shipping, Govt. of India)

Office cum IWT Terminal, Gaighat, Patna – 800 007

Ph. No. 0612-2630100, 2630114, 2630005, 2630012 * Fax No. 0612-2630012 E-mail: iwaipn@rediffmail.com

| | | | | |
|----|--|---|--|--|
| 20 | Control relay Type -4 C/O 24 V DC 6A with indicator | 12 nos | | |
| 21 | Safety control for Harbour Engine (4BT-USA Cummins) as follows:- 1. Temperature transducer 2. Pressure transducer 3. Time delay relay 4. Stop solenoid(shut down) 5. Over speed shut down control PCB 6. Relay with indicator | 01 no 01 no 01 no 01 no 01 no 03 nos | | |

Note: Vessel built by **Delta shipyard** Holland, Yard No. 177, Year 1988

Terms & Conditions

1. No advance payment shall be made 90% payment shall be released after receipt of material / item in good condition and balance 10% shall be paid after satisfactory trial.
2. The item should be supplied within 20 days of placing the supply order.
3. The price offer may be forwarded to this office in a sealed cover, by **16:00 hrs on 24-01-2013, which will be opened at 16:30 hrs on the same day.**
4. The validity of rate shall be remained up to 180 days.
5. The rate quoted shall be including of taxes. However duties, levies, freight charges, Insurance, packaging etc.
6. The spare imported should be provided with breakup cost which may be essential for assessment and comparison by this office.
7. The material and item shall be delivered at the address of **O/o Director, Inland Water Ways Authority of India, IWT Terminal, P.O.- Gulzarbagh, Gaighat, Patna – 800 007.**
8. Only genuine material/ item from original manufacturer are to be supplied Hence the proof of genuineness and import certificate are to be produced at the time of inspection at Patna.
9. The spare are to be inspected by our representative at Patna and only after satisfactory completion of inspection, the delivery of the spare will be taken over.
10. IWAI reserve the right to accept or cancel any quotations without assigning any reason or any prior notices.

Director