Corrigendum

S. No.	Original Text	Suggested Changes
1	Section IV Schedule of requirements	Section IV Schedule of requirements
	General Clause 1.3 Principal Particulars	General Clause 1.3 Principal Particulars (page
	(page no 61) – Breadth moulded: 6 to 6.5 m	no 61) – Breadth moulded: 7.5 to 8.0 m
2	Section IV Schedule of requirements	Section IV Schedule of requirements
	General Clause 1.3 Principal Particulars	General Clause 1.3 Principal Particulars (page
	(page no 61) – Maximum Draught: 1.0 m	no 61) – Maximum Draught: 1.5 m
3	Nil	Section IV Schedule of requirements
C		General Clause 1.10A Model Testing
		If the bidders offer the survey vessels for
		construction and supply based on proven
		design & performance adequate information
		on the same shall be submitted with the bids
		for evaluation.
		In case the bidder's offer is for construction of
		the vessels with new design, the construction
		shall be carried out after the detailed design,
		powering followed by model testing in an
		approved and reputed ship model testing and
		towing tank for finalization of the principal
		dimension, speed, propulsion power etc in the
		presence of the authorized officers of IWAI
		and the bidder.
		Decision of IWAI whether model testing is to
		be carried out or not shall be final and binding
		on the binding.
4	List of Goods and Delivery Schedule (pg.	List of Goods and Delivery Schedule (pg.
т	55)	55)
	Earliest Delivery Date: 210 Days from the	Earliest Delivery Date: 240 Days from the
	award of contract	award of contract
	Latest Delivery Date: 270 Days from the	Latest Delivery Date: 300 Days from the
	award of contract	award of contract
5	Section IV Schedule of requirements	Section IV Schedule of requirements
5	General Clause 2.5 Decks (page no 68) –	General Clause 2.5 Decks (page no 68) – The
	The Main deck will have no camber or	Main deck will have a camber of minimum
	sheer.	300 mm.
6	Section IV Schedule of requirements	Section IV Schedule of requirements
0	General Clause 5.8 Exhaust System (page	General Clause 5.8 Exhaust System (page no
	no 81) – Every diesel engine shall have a	81) – Every diesel engine shall have a
	separate exhaust pipe; the exhaust pipe lay	separate exhaust pipe; the exhaust pipe lay out
	out shall be approved by the engine maker's	shall be approved by the engine maker's
	recommendation. The exhaust pipes shall be	recommendation. The exhaust pipes shall be
	of steel. Exhaust pipe layout shall be	of steel. Exhaust pipe layout shall be designed
	designed such that, it is detachable at main	such that, it is detachable at main deck level.
	0	
	deck level. A protection against rainwater	A protection against rainwater entry is to be
	entry is to be provided at the end. Necessary	provided at the end. Necessary drains shall be
	drains shall be fitted in the pipes to drain	fitted in the pipes to drain any water in the

	any water in the nines	
	any water in the pipes.	pipes.
	Each engine shall be provided with suitable	Each engine shall be provided with suitable
	exhaust gas silencer.	exhaust gas silencer.
		Wet exhaust system of the machineries
		through transom as per class should be used.
7	Section IV Schedule of requirements	Section IV Schedule of requirements
	General Clause 5.2 Main Engine for	General Clause 5.2 Main Engine for
	Propulsion (page no 80) – Type: Two (2) 4-	Propulsion (page no 80) - Type: Two (2) 4-
	stroke marine diesel engines of minimum	stroke marine quality and class approved
	165 kW each, to meet the speed /	diesel engines with good performance of
	performance requirements are to be	minimum 165 kW each, to meet the speed /
	provided. Powering calculations are to be	performance requirements are to be provided.
	submitted along with the quotations.	
	submitted along with the quotations.	Powering calculations are to be submitted
0		along with the quotations.
8	Section IV Schedule of requirements	Section IV Schedule of requirements
	General Clause 5.14 Ventilation System -	General Clause 5.14 Ventilation System -
	Accommodation (page no 83)	Accommodation (page no 83)
	Accommodation to be air-conditioned.	Accommodation to be air-conditioned through
		split ACs.
		Details of Accommodation can be looked
		from General Clause 3 and following are not
		required to be air conditioned:
		i) 1 no. common attached toilet cum shower
		for Master and Driver
		ii) 1 no. Galley & Stores
		iii) 1 no. common sanitary facilities
9	Section IV Schedule of requirements	Section IV Schedule of requirements
	General Clause 5.18 Sewage Discharge	General Clause 5.18 Sewage Discharge
	System (page no 84) Sewage treatment	System (page no 84) Sewage treatment plant
	plant is to be provided and the same is to be	of IMO approved make and quality is to be
	of approved type for 15 persons.	provided for 15 persons.
10	Section IV Schedule of requirements	Section IV Schedule of requirements
	General Clause 3.4 Bio-toilet (page no 73)	General Clause 3.4 Bio-toilet (page no 73)
	Bio-toilets are to be provided.	Bio-toilets similar to aircraft carrier are to be
		provided.
11	Section IV Schedule of requirements	Section IV Schedule of requirements
* 1	General Clause 4.8 Communication	General Clause 4.8 Communication
	communication equipment shall be provided	communication equipment shall be provided
		snall de installed.
12	Section IV Schedule of requirements	Section IV Schedule of requirements
	General Clause 5.13 Bilge / Deck wash and	General Clause 5.13 Bilge / Deck wash and
	Fire-Fighting system	Fire-Fighting system
	(page no 82) Two Bilge cum General	(page no 82) Two Bilge cum General Service
	Service pumps driven by main engines shall	pumps driven by main engines shall be
	be installed in the engine room. The pumps	installed in the engine room. The pumps shall
	onboard. - Internal Engine room telegraph system A voice pipe from wheel house to Engine room.	onboard. - Internal Intercom & telegraph system of modern type shall be installed.

	shall be of the self-priming centrifugal type and to have a capacity of 25 m /h at 2 bars. Further, two hand operated portable bilge pumps shall be installed, one in the steering	be of the self-priming centrifugal type and to have a capacity of 25 m /h at 2 bars. Further, two hand operated portable bilge pumps shall be installed, one in the steering gear
	gear compartment and one in the fore peak. One double acting hand operated pump is to be provided in the suitable place, for emergency fire-fighting purpose.	compartment and one in the fore peak. One double acting diesel operated pump (as approved by statutory authority) is to be provided in the suitable place, for emergency
	emergency me nghang parposer	fire-fighting purpose.
13	Section IV Schedule of requirements General Clause 3.2 Furniture (page no 71) Provision for hot and cold water is to be provided in galleys and toilets.	Section IV Schedule of requirements General Clause 3.2 Furniture (page no 71) Provision for hot and cold water is to be provided in galleys and toilets through Geysers of adequate capacity.
14	Section IV Schedule of requirements General Clause 3.3 Flooring (page no 73) All floors and deck covering shall be of excellent, approved marine quality and fire resistant and anti-skid nature.	Section IV Schedule of requirements General Clause 3.3 Flooring (page no 73) All floors and deck covering shall be of excellent, approved marine quality and Non- combustible materials of light weight and anti-skid nature.
15	Section IV Schedule of requirements General Clause 3.5 Partition bulkhead, lining, ceiling (page no 74) The materials of the linings, partition bulkheads and ceiling are to be:	Section IV Schedule of requirements General Clause 3.5 Partition bulkhead, lining, ceiling (page no 74) The materials of the linings, partition bulkheads and ceiling are to be:
	Lining: 10mm marine plywood of waterproof and fire retarding quality, both sides covered with plastic laminate (Formica or-similar approved).	Lining: Non-combustible materials of light weight of marine quality and approved make and type are to be used.
	Partition bulkhead: 20mm marine plywood of waterproof and fire retarding quality both sides covered with plastic laminate (Formica or similar approved). Bulkheads separating galley from toilet are	Partition bulkhead: Non-combustible materials of light weight of marine quality and approved make and type are to be used. Bulkheads separating galley from toilet are to be of steel and to meet statutory requirements.
	to be of steel and to meet statutory requirements.	Ceilings: Non-combustible materials of light weight of marine quality and approved make and type are to be used.
	Ceilings: 6mm marine plywood, both sides covered with plastic laminate (Formica or similar approved). Thickness of plastic laminate in general should not be less than 1.5 mm. Borders of linings, around windows, doorframes etc. are to be of first class tropical hardwood.	Borders of linings, around windows, doorframes etc. are to be of Non-combustible materials of light weight of marine quality and approved make and type are to be used.
16	Section IV Schedule of requirements General Clause 3.7 Windows & Scuttles (page no 75) All windows shall be of approved marine	Section IV Schedule of requirements General Clause 3.7 Windows & Scuttles (page no 75) All windows shall be of approved marine

-	ty type with steel framing.	quality type with Aluminium framing.
	on VIII Special Conditions of	Section VIII Special Conditions of Contrac
Cont	ract (pg. 114)	(pg. 114)
GCC	16.1—The method and conditions of	GCC 16.1—The method and conditions o
	to be made to the Supplier under	payment to be made to the Supplier under this
· ·	Contract shall be as follows:	Contract shall be as follows:
uns c	contract shall be as follows.	Contract shall be as follows.
Payr	nent for Goods supplied from	Payment for Goods supplied from abroad:
abro	ad:	
Darus	ant of fourier annual reation shall	Payment of foreign currency portion shall be
	nent of foreign currency portion shall	made in the following manner :
be m	ade in the following manner :	(i) Keel Laying Payment: Twenty (20
(i)	Advance Payment: Ten (10)	percent of the Contract Price shall b
(1)	percent of the Contract Price shall be	paid within thirty (30) days of Kee
	paid within thirty (30) days of	Laying, through Bank Transfer and
	signing of the Contract, through	upon submission of claim and a ban
	Bank Transfer and upon submission	guarantee for equivalent amount vali
	of claim and a bank guarantee for	until the Goods are delivered and in th
	equivalent amount valid until the	form provided in the biddin
	Goods are delivered and in the form	documents.
	provided in the bidding documents or	documents.
	another form acceptable to the	(ii) On Hull Fabrication & Erection
	Purchaser.	Forty (40) percent of the Contract Pric
	i dioliusof.	of the Goods shall be paid throug
(ii)	On Shipment: Eighty (80) percent	irrevocable confirmed letter of cred
	of the Contract Price of the Goods	opened in favour of the Supplier in
	shipped shall be paid through	bank in its country, upon submission of
	irrevocable confirmed letter of credit	documents specified in GCC Claus
	opened in favour of the Supplier in a	13.1.
	bank in its country, upon submission	
	of documents specified in GCC	(iii) On Launching & Procurement of
	Clause 12.	major machineries: Twenty (20
		percent of the Contract Price of the
(iii)	On Acceptance: Ten (10) percent of	Goods shall be paid through irrevocabl
	the Contract Price of Goods received	confirmed letter of credit opened i
	shall be paid, through Bank Transfer	favour of the Supplier in a bank in it
	within thirty (30) days of receipt of	country, after the successful launchin
	the Goods upon submission of claim	& procurement of major machinerie
	supported by the acceptance	i.e. propulsion engines, auxiliar
	certificate issued by the Purchaser.	engines, genset, sewage treatment plan
		and upon submission of the document
	Payment of local currency portion,	specified in GCC Clause 13.1.
	including Agency Commission if	
	any, shall be made in INR within	(iv) On Delivery: The remaining twent
	thirty (30) days of presentation of	(20%) percent of the Contract Price of
	claim supported by a certificate from	the Goods shall be paid throug
	the Purchaser declaring that the	irrevocable confirmed letter of cred
	Goods have been delivered and that	opened in favour of the Supplier in
	all other contracted Services have	bank in its country, after the successful

been	performed.
------	------------

Payment for Goods and Services supplied from within the Purchaser's country:

Payment for Goods and Services supplied from within the Purchaser's country shall be made in INR, as follows:

- (i) Advance Payment: Ten (10) percent of the Contract Price shall be paid within thirty (30) days of signing of the Contract against a simple receipt and a bank guarantee for the equivalent amount and in the form provided in the bidding documents or another form acceptable to the Purchaser.
- (ii) On Delivery: Eighty (80) percent of the Contract Price shall be paid on receipt of the Goods and upon submission of the documents specified in GCC Clause 13.
- (iii) On Acceptance: The remaining ten (10) percent of the Contract Price shall be paid to the Supplier within thirty (30) days after the date of the acceptance certificate for the respective delivery issued by the Purchaser.

test, trial & acceptance of delivery of the vessel by the Purchaser and upon submission of the documents specified in GCC Clause 13.1.

Payment of local currency portion, including Agency Commission if any, shall be made in INR within thirty (30) days of presentation of claim supported by a certificate from the Purchaser declaring that the Goods have been delivered and that all other contracted Services have been performed.

Payment for Goods and Services supplied from within the Purchaser's country:

Payment for Goods and Services supplied from within the Purchaser's country shall be made in INR, as follows:

- (i) **Keel Laying Payment:** Twenty (20) percent of the Contract Price shall be paid within thirty (30) days of signing of the Contract against an invoice and a bank guarantee for the equivalent amount and in the form provided in the bidding documents.
- (ii) On Hull Fabrication & Erection: Forty (40) percent of the Contract Price shall be paid on 100% Hull Fabrication and Erection and upon submission of the documents specified in GCC Clause 13.1.
- (iii) On Launching & Procurement of major machineries: Twenty (20) percent of the Contract Price shall be paid to the Supplier within thirty (30) days after the successful launching & procurement of major machineries i.e. propulsion engines, auxiliary engines, genset, sewage treatment plants and upon submission of the documents specified in GCC Clause 13.1.
- (iv) On Delivery: The remaining twenty
 (20%) percent of the Contract Price shall be paid to the Supplier within thirty (30) days after the successful test, trial & acceptance of delivery of the

		vessel by the Purchaser certified by an
10		acceptance certificate.
18	Section VIII Special Conditions of Contract (pg. 113)	Section VIII Special Conditions of Contract (pg. 113)
	GCC 13.1: Details of Shipping and other Documents to be furnished by the Supplier are	GCC 13.1: Details of Shipping and other Documents to be furnished by the Supplier are
	(a) For Goods supplied from abroad:	(a) For Goods supplied from abroad:
	Upon delivery of the goods to the consignee the supplier shall notify the purchaser and mail the following documents to the	Upon delivery of the goods to the consignee the supplier shall notify the purchaser and submit the following documents to the purchaser:
	purchaser and Bank (in case of LC payment):	Payment against Keel Laying:
	 (i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount (ii) Copy of Airway / Seaway Bill marked freight prepaid (iii) Three Copies of packing list identifying contents of each package (iv) Insurance certificate (v) Manufacturer's / Supplier's warranty certificate (vi) Manufacturer's Test report (vii) Certificate of origin 	 (i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount (ii) Bank Guarantee of 20% of the contract value having validity till the acceptance of delivery by the purchaser (iii) Certificate of Keel Laying issued by the Purchaser's representative nominated by the Project Director (iv) Builder's Insurance policy as specified in GCC 24.1 of Section VIII – Special Conditions of Contract
	Partial shipment and transhipment is allowed.	Payment against 100% Hull Fabrication & Erection:
	(b) For Goods from within India:Upon delivery of the goods to the consignee, the supplier shall notify the purchaser and mail the following documents to the Purchaser:(i) One original and two copies of the	 (i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount (ii) Certificate of 100% Hull Fabrication & Erection issued by the Purchaser's representative nominated by the Project
	 (i) One original and two copies of the Supplier invoice showing contract number, goods description, quantity, unit price, total amount (ii) Delivery note and acknowledgement of receipt of goods duly sealed and signed by 	Director (iii) Manufacturer's / Supplier's warranty certificate, if applicable (iv) Manufacturer's Test report, if applicable
	the Consignee (iii) Three copies of packing list identifying	Payment against Successful Launching & Procurement of Major machineries:
	 contents of each package (iv) Insurance Certificate (v) Manufacturer's / Supplier's warranty 	(i) One original and two copies of Supplier's invoice showing contract number, goods

certificate	description, quantity, unit price and total
(vi) Inspection Certificate issued by the nominated inspection agencyvii) Certificate of Origin.	description, quality, unit price and total amount(ii) Certificate of Successful Launching & Procurement of Major machineries issued by
viii) Original Copy of Excise duty Gate Pass (Duplicate copy of excise duty gate	the Purchaser's representative nominated by the Project Director
pass may be sent with transporter)	(iii) Manufacturer's / Supplier's warranty certificate(iv) Manufacturer's Test report, if applicable
The above documents shall be received by the Purchaser before arrival of the Goods	Payment against Successful test, trial and
and, if not received, the Supplier will be responsible for any consequent expenses.	Delivery:
	(i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount
	(ii) Certificate of Successful test, trial and Delivery issued by the Purchaser's
	representative nominated by the Project Director
	(iii) Copy of Airway / Seaway Bill marked freight prepaid(iv) Three Copies of packing list identifying contents of each package
	 (v) Insurance certificate (vi) Manufacturer's / Supplier's warranty certificate
	(vii) Manufacturer's Test report(viii) Certificate of origin
	Partial shipment and transhipment is allowed.
	(b) For Goods from within India:
	Upon delivery of the goods to the consignee the supplier shall notify the purchaser and submit the following documents to the purchaser:
	Payment against Keel Laying:
	 (i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount (ii) Bank Guarantee of 20% of the contract value having validity till the acceptance of delivery by the purchaser
	(iii) Certificate of Keel Laying issued by the Purchaser's representative nominated by the

 Project Director (iii) Manufacturer's / Supplier's warranty certificate, if applicable (iv) Manufacturer's Test report, if applicable (v) Builder's Insurance policy as specified in GCC 24.1 of Section VIII – Special Conditions of Contract Payment against 100% Hull Fabrication & Erection:
 (i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount (ii) Certificate of 100% Hull Fabrication & Erection issued by the Purchaser's representative nominated by the Project Director (iii) Manufacturer's / Supplier's warranty certificate, if applicable (iv) Manufacturer's Test report
Payment against Successful Launching & Procurement of Major machineries:
 (i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount (ii) Certificate of Successful Launching & Procurement of Major machineries issued by the Purchaser's representative nominated by the Project Director (iii) Manufacturer's / Supplier's warranty certificate (iv) Manufacturer's Test report
Payment against Successful test, trial and Delivery:
 (i) One original and two copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount (ii) Certificate of Successful test, trial and Delivery issued by the Purchaser's representative nominated by the Project Director (iii) Delivery note and acknowledgement of

		receipt of goods duly sealed and signed by the Consignee (iv) Three copies of packing list identifying contents of each package (v) Insurance Certificate (vi) Manufacturer's / Supplier's warranty certificate (vii) Manufacturer's Test report The above documents shall be received by the Purchaser before arrival of the Goods and, if not received, the Supplier will be responsible for any consequent expenses.
19	Section VIII Special Conditions of Contract (pg. 116)	Section VIII Special Conditions of Contract (pg. 116)
	GCC 27.1: The liquidated damage shall be: 1% per week upto a maximum of 10% after which the bidder have the right to cancel the contract.	GCC 27.1: The liquidated damage shall be: 1% per week upto a maximum of 10% after which the bidder have the right to cancel the contract.
	The maximum amount of liquidated damages shall be: 10%.	The maximum amount of liquidated damages shall be: 10%.
		Additionally, the following Penalties could also be imposed:
		A. Penalty for deficiency in speed of the vessel
		The builder shall give full guarantee in every respect in accordance with the provisions of the specifications for the construction of the fully river worthy vessel constructed out of the best material of international shipbuilding quality and workmanship with good stability as also for faultless execution of work in all the details. The total contract price of the vessel shall have to be affected or changed, by reason of the actual speed, as determined by trial runs, in accordance with the specifications, being less than guaranteed speed under the terms of the attached specifications, if the actual speed is less than three/tenth (3/10) of knot below the aforementioned trial speed. However, commencing with and including a decrease of three-tenth (3/10) of a knot in actual speed below the trial speed of the

				 vessel, the vessel, the total contract price of the vessel shall be reduced for deficiency in speed as follows (but disregarding factions of less than one-tenth (1/10), of knot): For three-tenth (0.3) of a knot: 1% of the basic cost of the workboat. For three-tenth (0.4) of a knot: 3% of the basic cost of the workboat. For three-tenth (0.5) of a knot: 10% of the basic cost of the workboat. If the deficiency in actual speed of the vessel upon said trial runs, is more than 0.5 knot below the trial speed as provided herein above, and the builder is not able to rectify even by an extension of the delivery period, then the owner at his option may reject the vessel and rescind this contract or may accept the vessel at a reduction in the price as may be agreed between the parties. B. Penalty for deficiency in draft of the vessel The total contract price of the vessel has to be affected or changed by reason of the actual max. draft with full bunker, water, personnel and stores as determined by actual measurement in accordance with specifications if the actual draft is more than 50 mm. However, commencing with and including an increase of 50 mm in actual draft the total contract price of the vessel shall be reduced for deficiency in draft (1.60 m draft): 5% of the basic cost of the vessel Up to 100 mm of draft (1.65 m draft): 10% of the basic cost of the vessel OIf the actual draft of the vessel is more than 1.65 m and the builder is not able to rectify even by an extension of delivery period, then the owner at his option may reject the vessel and rescind the contract or may accept the vessel
20 Sectio	n VIII	Special	Conditions	even by an extension of delivery period, then the owner at his option may reject the vessel

	Contract (pg. 115)	(pg. 115)
	GCC 24.1: The insurance coverage shall be as specified in the Incoterms.	GCC 24.1: The insurance coverage shall be as specified in the Incoterms.
		Additionally, the builder shall take out builders policy to cover against all usual builder's risk, including protection and indemnity risks, test risks, and war risks under policy terms that shall be no less favourable than those of the London Institute Builder's Risk clauses.
		All Insurances shall name the builder as the assured party and the Buyer as the co-insured p0arty for their respective interests. The insurances shall contain loss payable provisions reasonably acceptable to the Buyer. All premiums shall be for the builder's account.
		All Insurances shall provide that there shall be recourse against the Ship after her delivery to the Buyer, or against the Buyer or the Buyer's assignees for the payment of any premiums or commissions and that no cancellation of the Insurances, for any reason whatsoever, shall become effective unless and until fourteen (14) days prior written notice has been given by the relevant brokers or insurers to the Buyer.
21	ITB 27.1 (pg 29)	ITB 27.1 (pg 29)
	The Bid opening shall take place at:	The Bid opening shall take place at:
	Inland Waterways Authority of India,	Inland Waterways Authority of India,
	A-13, Sector-1, Noida, UP – 201301	A-13, Sector-1, Noida, UP – 201301
	Date: 1 May, 2015	Date: 29 June, 2015
	Time: 1530 Hrs IST	Time: 1530 Hrs IST
0	1	1