

No: IWAI/COCH/MISC/ADMN/2024-25/ 948

Date: 12th March 2025

NOTICE INVITING QUOTATION

Inland Waterways Authority of India invites sealed quotations for " Providing and laying of tiles in water tanks at IWAI Regional Office, Kochi." from reputed manufacturer / fabricator / Contractor having experience in works of below mentioned items. The details of work are as follows.

Sl. No	Item Description	Estimated Cost (Excl. GST & Incl. Labour welfare cess)	EMD	Work completion period
1	Providing and laying of glazed vitrified tiles of size 600mm x 600mm inside the UG tanks for sides walls and floor.	1,25,000/-	2,500/-	20 days

Terms & Conditions:

1. The estimated cost for the mentioned work is **Rs. 1,25,000/-** (Rupees One lakh twenty-five thousand only) (excluding GST & Inc. Labour welfare cess @ 1%) including transportation charges. The materials should be genuine as per BOQ, specifications etc. in Annexure-1.
2. The work shall be completed within 20 days from the date of issue of work order.
3. The payment shall be made through PFMS within 15 days after submission of bill and work completion certificate by the concerned office I/C.
4. The firm should submit self-certified copy of PAN card, GST registration certificate, Bank details along with a cancelled cheque (where payment to be made) and similar work done experience certificate.
5. Firm has to submit EMD of Rs. 2,500/- (Rupees Two thousand five hundred only) through RTGS / NEFT payable in favour of "Inland Waterways Authority of India" in the A/c no. 39360627884, State Bank of India, Vyttila Branch IFSC:

Head Office:- I.W.A.I., A-13, Sector - 1, NOIDA - 201 301 (U.P.)

E-mail:- iwainoi@nic.in • Tel. :- +91-120-2544036, 2543972, 2527667, 2448101, Fax: +91-120-2544009, 2544041, 2543973, 2521764

SBIN0008694. The scanned copy of the RTGS / NEFT receipt with transaction ID must be enclosed along with the bid.

6. The bidder shall inspect and familiar with the site prior to submission of quotation for the above said work.
7. The quoted price shall be excluding GST but including labour welfare cess @ 1%.
8. In case of delay in completion of the above work, liquidated damages will be applicable @ 1.0% per week subjected to a maximum 10% on the total value of contract.
9. 10% of quoted amount as security amount (including EMD) shall be deposited through RTGS / NEFT by the bidder within 7 days after the issue of Work Order and the same shall be released without any bank interest after completion of defect liability period of 6 months.
10. IWAI reserves the right to accept or reject any / all quotations without assigning any reason or any prior notice.

The sealed quotation should reach to IWAI, Kochi office latest by 17.3.2025 at 15.30 hrs. Any delay in receipt of quotation whatsoever will not be entertained. The received quotation will be opened on 18.3.2024 at 12.00 hrs.

Yours faithfully,



(A. Selvakumar)

Director

Email ID:- dirkoc@iwai.gov.in

Ph:- 0484 2389804, 2389445

Enclosed: - 1. Annexure -1

Copy to:- 1. IWAI Website.
2. Notice Board, IWAI, Kochi Office

Quotation Inviting Authority: Inland Waterways Authority of India, Kochi	
Name of Work: Providing and laying of glazed vitrified tiles of size 600mm x 600mm inside the UG tanks for sides walls and floor.	
NIQ No. IWAI/COCH/MISC/ADMN/2024-25/	
Bidder Name:	

PRICE SCHEDULE

Sl. No	Item Description	Qty	Units	Basic Price (in. Rs.)	Total Amount in Rs. (Col. 3 x Col. 5)
1	2	3	4	5	6
1	Cleaning of underground sump, Over Head R.C.C. Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations: - (i) Tank shall be emptied of water by pumping & bottom shall be cleaned of silt and other deposits. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed with water. (iii) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. etc. as per direction of Engineer-in-Charge.	1	LS
2	Providing and laying Vitrified tiles in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). Size of Tile 600x600 mm.	44.25	Sqm
3	Grouting the joints of flooring tiles having joints of 3 mm width, using epoxy grout mix of 0.70 kg of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg), including filling / grouting and finishing complete as per direction of Engineer-in-charge. Size of Tile 600x600 mm.	44.25	Sqm
Total Amount in Rs.					-----

Signature and seal:

Name & Address of the Bidder:

.....


 12/3/2024