



भारत सरकार GOVT. OF INDIA

पत्तन, पोत परिवहन और जलमार्ग मंत्रालय

Ministry of Ports, Shipping & Waterways

भारतीय अन्तर्देशीय जलमार्ग प्राधिकरण

INLAND WATERWAYS AUTHORITY OF INDIA

Pandu Port Complex, Pandu, Guwahati - 781 012, Assam

Phone :- 0361–2676925, 2676929, 2570099

Email :- dirguw.iwai@nic.in
Website :- www.iwai.nic.in

No. IWAI/GHY/3(13)/TER-MISC/2022/ 2264

21th December 2022

NOTICE INVITING QUOTATION

- Sealed quotations are invited from the reputed Contractor/repairer for Repair and Maintenance of office of the Superintendent of Customs at IWAI, Pandu Complex in Kamrup Metro district, Assam as per <u>Annex-I</u> & as per terms and conditions laid down below. The NIQ can also be downloaded from IWAI's website (<u>www.iwai.nic.in</u>).
- 2. The repair work may be done as per following terms and conditions mentioned below:
 - i. The price may be quoted in both words and figures.
 - ii. The price may be quoted including all the cost such as Labour, Transportation charges, all taxes excluding Good & Service Tax (GST) as applicable which will be paid on production of proof of payment. No other charges shall be entertained.
 - iii. The repair and renovation work must be completed within 30 days from the date of issue of work order by IWAI.
 - iv. The firm has to submit documentary evidence of current copy of the
 - a. Registration Certificate of the firm with State PWD/MES/Railways etc.
 - b. Permanent Account Number, GST registration certificate
 - c. Valid Trade license
 - d. Labour license
 - e. Self-certificate stating that the bidder has not been banned or de-listed by any Govt. or Quasi Govt. agency or Public Sector Undertaking for the past 3 years.
 - f. Work completion certificate of having successfully completed similar works as mentioned below during the last 7 years ending last day of month previous to the one in which tender is invited
 - 1. Three works costing not less than 40% of the estimated cost; or
 - 2. Two works costing not less than 50% of the estimated cost; or
 - 3. One work completed not less than 80% of the estimated cost
 - v. The quantity actually executed shall be certified by EIC as per terms and conditions of the order and payment shall be made by RTGS / NEFT within 10 days from the date of receipt of bill and challan after satisfactorily work done. The copy of bank details shall be submitted along with quotation.

2/1/0~

- vi. The work completed shall be guaranteed against any defect or workmanship for a period of 12 calendar months from the date of completion. During this guarantee period, in case of any defective material or workmanship the contractor will undertake to repair any part or portion thereof, at the site without any cost to IWAI. The contractor will also undertake to attend complaint at the site within 24 hours of getting the intimation either by telephone, letter or fax. The guarantee shall be given by the Contractor on non-judicial stamp paper before the submission of final bill.
- vii. In Case of delay in completion of work liquidity damage @ 0.5% per week subject to a maximum of 5% will be charged.
- viii. The firm shall be having experience for civil construction, repair and renovation of civil structures.
- ix. IWAI reserves the right to accept or cancel any / all quotations without assigning any reason or any prior notice.
- x. Security Deposit of 5% will be deducted from the bill. The same shall be released after completion of the guarantee period (12 months)
- 3. The sealed quotation should reach this office latest by 29.12.2022 at 15:00 hrs and will open on 29.12.2022 at 15.30 hrs. No quotation will be accepted after the last date and time for submission of quotations.

Encl: as stated above.

The Director IWAI, Guwahati

Copy to: i. Office Notice Board ii. IWAI Website

Bill of quantities

Annex – I

Bill of quantities (BoQ)

SI No.	Particulars	Unit	Qty	Rate (Rs.)	Amount (Rs.)
1	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 meters lead of: G.I. Sheet	Sqm	25		
2	Providing corrugated G S sheet roofhung including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G I limpet washers or with G I limpet washers filled with white lead, including a coat of approved sheets complete (up to any pitch in horizontal / vertical or curved surfaces), excluding the cost of purlin, rafters and trusses and including cutting to size and shape wherever required	Sqm	33.50		
3	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	Sqm	6.75		
4	Grading roof for water proofing treatment with Cement concrete 1: 2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size	Cum	1.07		
5	Cement mortar 1 : 3 (1 cement : 4 coarse sand)	Cum	0.25		
6	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm	240		
7	Distemper with oil bound washable distemper of approved brand and	Sqm	240		

	T			
	manufacture to give an even shade			
	New work (two or more coats) over			
	and including water thinnable priming coat with cement primer			
	·			
8	Applying one coat of water thinnable cement primer of approved brand and	Sqm	102.00	
	manufacture on wall surface			
	Water thinnable cement primer			
9	Finishing wells with water 5	0		
9	Finishing walls with water proofing cement paint of required shade	Sqm	102.00	
	New work (Two or more coats			2
	applied @ 3.84 kg/10sqm)			
10	With ready mixed red oxide zinc	Cam	0.00	
10	chromate primer of approved brand	Sqm	2.00	
	and manufacture on steel galvanized			
	iron/steel works			
11	Painting with synthetic enamel paint of	Sqm	2.00	
	approved brand and manufacture to give an even shade			
	Two or more coats on new work			
_	Two of more coats of new work			
12	Providing and fixing M.S. grills of required pattern in frames of windows	Kg	15.00	
	etc. with M.S. flats, square or round			
	bars etc. including priming coat with			
	approved steel primer all complete			
	Fixed to openings /wooden frames			
	with raw plugs screws etc			
13	Providing and fixing gun metal gate	Each	2.00	
	valve with CI wheel of approved quality (screwed end)			
	, ,			
	32mm nominal bore			
14	Providing and placing on terrace (at	Litre	1000	
	all floor levels) polyethylene water storage tank, IS: 12701 marked, with			
	cover and suitable locking			
	arrangement and making necessary			
	holes for inlet, outlet and overflow pipes out without fittings and the base			
	support for tank 1000 litre			

15	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm	Rm	19.50	
16	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion.			
	Single tee with door 110mm	Each	4	
	Single tee with door 110x110x110 mm	Each	6	
	Bend 87.5° 110 mm bend	Each	8	
17	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge: Internal work - Exposed on wall			
	External work			
	40 mm nominal dia Pipes	Rm	9	
	32 mm nominal dia Pipes	Rm	9	
	25 mm nominal dia Pipes	Rm	9	

Note: The rate is excluding GST