

तार - जलमार्ग

GRAM: JALMARG

भारतीय अन्तर्देशीय जलमार्ग प्राधिकरण

(पोत परिवहन मंत्रालय, भारत सरकार) INLAND WATERWAYS AUTHORITY OF INDIA

(Ministry of Shipping, Govt. of India)

क्षेत्रीय कार्यालय : पि-७८, गार्डेनरीच रोड, कोलकाता-७०० ०४३ (प० बं०) REGIONAL OFFICE: P-78, Garden Reach, Kolkata - 700 043 (W.B.)

दूरभाष : 2439 0393 / 5577 / 6055 फेक्स : 2439 5570 / 1740

Email: iwaical@yahoo.com

IWAI/KOL/8/TERMINAL/2022-23

Date:- 09.09.2022

NOTICE FOR INVITING QUOTATION

Sealed quotations are invited from reputed and experienced contractors for the work of "Repair and Renovation of 1st floor Ladies & Gents toilet and floor tiles in conference hall of RO IWAI, Kolkata building" as per the annexure enclosed herewith on the following terms and conditions.

TERMS & CONDITIONS

- 1. The price may be quoted including all the costs such as labour, taxes, materials, transportation etc except GST.
- 2. The work shall be completed at, IWAI, Kolkata office building within 10(Ten) days from the date of receipt of the work order.
- 3. 90% payment shall be released by RTGS within 15 days from the date of submission of bill and duly certification of the bill by the officer concerned after deduction of the statutory dues if any. Balance 10% shall be released after 6 month on satisfactory completion of the guaranty period and the same shall be duly certified by officer concerned. Further, GST as applicable shall be reimbursed, only after submission of proof of its remittance from concerned department.
- 4. In case of delay in completion of works, liquidated damage @1.5% per two days subject to a maximum of 5% will be charged.
- 5. The firm should also require submitting self certified copy of PAN Card, Registration certificate, GST, and credential certificate etc.

The sealed quotations should be reach to IWAI, Kolkata office latest by on or before 14.09.2022 at 1300 hrs. The sealed bids will be opened on same at 1330 hrs.

> (Arvind Kumar) DIRECTOR(I/C)

Head Office: A-13, Sector-I, NOIDA, U.P. Pin - 201301 Phone: 0120-2543972 / 4004 / 2521764, Fax: 0120-02543973 / 4009 / 4041 / 2521664

E-mail: iwainoi@hub.nic.in Website: www.iwai.nic.in Bill of Quantity for Repair & Renovation of 1st floor toilet at RO IWAI, Kolkata building.

Sl.	Description	Unit	Quantity	Rate (In Rs)	Amount (In Rs)
1	Dismantling tile work in floors and skirtings For thicknes of tiles 10 mm to 25 mm laid in cement mortar including stacking material within 50 metres lead all complete as perspecification & direction of EIC.	~	79.50		
2	Repairs to plaster With cement mortar 1:4 (1cement: coarse sand)of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge	f l sqm	5.00		
3	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete		159.70		
4	Providing and fixing Ist quality wall tiles of sizes 450 x 300 mm conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete		55.83		
5 8	Providing and laying anti skid vitrified floor tiles in 600 x 500 mm sizes with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white tement and matching pigments etc., complete	sqm	18.15		
s a c	Distempering with 1st quality acrylic distemper (ready nade) having VOC content less than 50 gm per ltr. of approved manufacturer and of required shade and colour omplete. as per manufacturer's specification all complete is per specification and direction of EIC (Quantity vide item to 3 + 1.5 multiplying factor)	sqm	239.55		
b (F	roviding and fixing ISI marked waterproof hard wood door anel of 30 mm thick including ISI marked Stainless Steel utt hinges with necessary screws conforming to IS: 2202 Part I) decorative type, core of block board construction ith frame of 1st class hard wood all complete as per pecification and direction of EIC(Make TATA)	sqm	3.78		
pi	applying, fitting and fixing wire mesh for mosquito rotection all complete as per specification and direction of IC.	sqm	2.25		
lev wi	roviding and fixing white vitreous china pedestal type ater closet (European type) with seat and lid, 10 litre low wel white vitreous china flushing cistern & C.P. flush bend th fittings & C.I. brackets, 40 mm flush bend, all mplete as per specification and direction of EIC (Make ndware/Jaguar/Parryware)	nos	2.00		

10	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin set of 2 all complete as per specification and direction of EIC	set	1.00			
11	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality pedastal with a 15 mm CP Brass single hole basin mixer all complete including lever type pillar cock (Make Jaguar) as per specification and direction of EIC.	nos	2.00			
12	Providing and fixing SS hand shower, 15 mm nominal bore, weighing not less than 40 gms including all its fitting all complete as per specification and direction of EIC(Make Hindware/Jaguar/Parryware)	nos	2.00			
	Total					

Director(I/C)